

Area Schedule (Gross Building)

Name	Area
ROAD LEVEL	
SITE	2242 SF
GROUND FLOOR LEVEL	
BUILTUP AREA	310 SF
PARKING	1361 SF
FIRST FLOOR LEVEL	
BUILTUP AREA	1461 SF
UTILITY	57 SF
BALCONY	218 SF
SECOND FLOOR LEVEL	
BUILTUP AREA	1475 SF
BALCONY	219 SF
UTILITY	42 SF
THIRD FLOOR LEVEL	
UTILITY	57 SF
BUILTUP AREA	1461 SF
BALCONY	218 SF
FOURTH FLOOR LEVEL	
BUILTUP AREA	204 SF
TERRACE	1531 SF

NOTES:

- Opening schedule may change according to the structural design.
- The layout of columns and beams may change according to the structural design.
- Number of steps may change according to the plinth and parking height desired.
- Thickness of walls is only proposed. It may have to change based on the structural design to avoid column/beam projections.

The Contractor and the Consultant shall bear no responsibility whatsoever where any drawings provided by them in relation to the project. Said Works, does not comply with any applicable laws including the bye-laws of the Building Agency where such project is situated. Further, it is clarified that it shall be the responsibility of the Owner to ensure any and all compliance of the drawings provided by the Contractor/Consultant.

REV.
CONCEPT - R3

AREA STATEMENT

LEGENDS

Plinth Height - 2'6"
Floor height - 10'0" (FFL)
NUMBER OF STAIRS - 19
Thread - 11"
Riser - 6"
Sump Quantity - 6000 ltrs
OHT Quantity - 1500 ltrs

ARCHITECT
AR.P.Ganesh

Window Schedule

Type Mark	Width	Height	Count	Area
GROUND FLOOR LEVEL				
V1	2' - 0"	2' - 0"	1	4 SF
W2	3' - 0"	4' - 0"	1	12 SF
GROUND FLOOR LEVEL: 2				
FIRST FLOOR LEVEL				
KW	4' - 0"	3' - 0"	1	12 SF
V1	2' - 0"	2' - 0"	2	4 SF
W2	3' - 0"	4' - 0"	2	12 SF
W-1	4' - 0"	4' - 0"	2	16 SF
FIRST FLOOR LEVEL: 7				
SECOND FLOOR LEVEL				
KW2	3' - 0"	3' - 0"	1	9 SF
V1	2' - 0"	2' - 0"	3	4 SF
W2	3' - 0"	4' - 0"	3	12 SF
W-1	4' - 0"	4' - 0"	4	16 SF
SECOND FLOOR LEVEL: 11				
THIRD FLOOR LEVEL				
KW	4' - 0"	3' - 0"	1	12 SF
V1	2' - 0"	2' - 0"	3	4 SF
W-1	4' - 0"	4' - 0"	2	16 SF
THIRD FLOOR LEVEL: 6				
Grand total: 26				

Door Schedule

Mark	Width	Height	Count
GROUND FLOOR LEVEL			
D3	2' - 6"	7' - 0"	2
FIRST FLOOR LEVEL			
22	2' - 6"	7' - 0"	1
D2	3' - 0"	7' - 0"	2
D3	2' - 6"	7' - 0"	1
MD	6' - 6"	7' - 0"	1
PD	4' - 0"	7' - 0"	1
SD	6' - 0"	7' - 0"	2
SECOND FLOOR LEVEL			
57	2' - 6"	7' - 0"	1
D1	3' - 6"	7' - 0"	1
D2	3' - 0"	7' - 0"	3
D3	2' - 6"	7' - 0"	3
THIRD FLOOR LEVEL			
D1	3' - 6"	7' - 0"	1
D2	3' - 0"	7' - 0"	4
D3	2' - 6"	7' - 0"	3
PD	4' - 0"	7' - 0"	1
SD	6' - 0"	7' - 0"	2
Grand total: 29			


Brick & Bolt
Clayworks, 16/2, m 2nd Floor,
Sobha Alexander Plaza,
Commissariat Rd, Ashok Nagar,
Bengaluru, Karnataka 560025

Project
**MR.Prakash
Veer**

CRN
269577
Drawing Title
GROUND FLOOR PLAN

Drg. No.
A101
Date
01/02/2024
Scale
1 : 70

NORTH



Area Schedule (Gross Building)

Name	Area
ROAD LEVEL	
SITE	2242 SF
GROUND FLOOR LEVEL	
BUILTUP AREA	310 SF
PARKING	1361 SF
FIRST FLOOR LEVEL	
BUILTUP AREA	1461 SF
UTILITY	57 SF
BALCONY	218 SF
SECOND FLOOR LEVEL	
BUILTUP AREA	1475 SF
BALCONY	219 SF
UTILITY	42 SF
THIRD FLOOR LEVEL	
UTILITY	57 SF
BUILTUP AREA	1461 SF
BALCONY	218 SF
FOURTH FLOOR LEVEL	
BUILTUP AREA	204 SF
TERRACE	1531 SF

NOTES:

- Opening schedule may change according to the structural design.
 - The layout of columns and beams may change according to the structural design.
 - Number of steps may change according to the plinth and parking height desired.
 - Thickness of walls is only proposed. It may have to change based on the structural design to avoid column/beam projections.
- The Contractor and the Consultant shall bear no responsibility whatsoever where any drawings provided by either in relation to the project / Said Works, does not comply with any applicable laws including the bye-laws of the building society where such project is situated. Further, it is clarified that it shall be the responsibility of the Owner to ensure any and all compliance of the drawings provided by the Contractor/Consultant.

REV.

CONCEPT - R3

AREA STATEMENT

LEGENDS

Plinth Height - 2'6"
 Floor height - 10'0" (FFL)
 NUMBER OF STAIRS - 19
 Thread - 11"
 Riser - 6"
 Sump Quantity - 6000 ltrs
 OHT Quantity - 1500 ltrs

ARCHITECT

AR.P.Ganesh

Brick & Bolt

Clayworks, 16/2 ,m 2nd Floor,
 Sobha Alexander Plaza,
 Commissariat Rd, Ashok Nagar,
 Bengaluru, Karnataka 560025

Project

**MR.Prakash
 Veer**

CRN
 269577

Drawing Title
 FIRST FLOOR PLAN


Drg. No.
 A102

Date
 01/02/2024

Scale
 1 : 70

NORTH





Area Schedule (Gross Building)

Name	Area
ROAD LEVEL	
SITE	2242 SF
GROUND FLOOR LEVEL	
BUILTUP AREA	310 SF
PARKING	1361 SF
FIRST FLOOR LEVEL	
BUILTUP AREA	1461 SF
UTILITY	57 SF
BALCONY	218 SF
SECOND FLOOR LEVEL	
BUILTUP AREA	1475 SF
BALCONY	219 SF
UTILITY	42 SF
THIRD FLOOR LEVEL	
UTILITY	57 SF
BUILTUP AREA	1461 SF
BALCONY	218 SF
FOURTH FLOOR LEVEL	
BUILTUP AREA	204 SF
TERRACE	1531 SF

NOTES:

- Opening schedule may change according to the structural design.
- The layout of columns and beams may change according to the structural design.
- Number of steps may change according to the plinth and parking height desired.
- Thickness of walls is only proposed. It may have to change based on the structural design to avoid column/beam projections.

The Contractor and the Consultant shall bear no responsibility whatsoever where any drawings provided by them in relation to the project / Said Works, does not comply with any applicable laws including the bye-laws of the building/society where such project is situated. Further, it is clarified that it shall be the responsibility of the Owner to ensure any and all compliance of the drawings provided by the Contractor/Consultant.

REV. CONCEPT - R3

AREA STATEMENT

LEGENDS

Plinth Height - 26"
 Floor height - 10'0" (FFL)
 NUMBER OF STAIRS - 19
 Thread - 11"
 Riser - 6"
 Sump Quantity - 6000 ltrs
 OHT Quantity - 1500 ltrs

ARCHITECT
 AR.P.Ganesh

Brick & Bolt
 Clayworks, 16/2 ,m 2nd Floor,
 Sobha Alexander Plaza,
 Commissariat Rd, Ashok Nagar,
 Bengaluru, Karnataka 560025

Project
MR.Prakash Veer

CRN
 269577


Drawing Title
 SECOND FLOOR PLAN

Drg. No.
 A103

Date
 01/02/2024

Scale
 1 : 70

NORTH



Area Schedule (Gross Building)

Name	Area
ROAD LEVEL	
SITE	2242 SF
GROUND FLOOR LEVEL	
BUILTUP AREA	310 SF
PARKING	1361 SF
FIRST FLOOR LEVEL	
BUILTUP AREA	1461 SF
UTILITY	57 SF
BALCONY	218 SF
SECOND FLOOR LEVEL	
BUILTUP AREA	1475 SF
BALCONY	219 SF
UTILITY	42 SF
THIRD FLOOR LEVEL	
UTILITY	57 SF
BUILTUP AREA	1461 SF
BALCONY	218 SF
FOURTH FLOOR LEVEL	
BUILTUP AREA	204 SF
TERRACE	1531 SF

NOTES:

- Opening schedule may change according to the structural design.
 - The layout of columns and beams may change according to the structural design.
 - Number of steps may change according to the plinth and parking height desired.
 - Thickness of walls is only proposed. It may have to change based on the structural design to avoid column/beam projections.
- The Contractor and the Consultant shall bear no responsibility whatsoever where any drawings provided by them in relation to the project / Said Works, does not comply with any applicable laws including the bye-laws of the building/society where such project is situated. Further, it is clarified that it shall be the responsibility of the Owner to ensure any and all compliance of the drawings provided by the Contractor/Consultant.

REV.

CONCEPT - R3

AREA STATEMENT

LEGENDS

Plinth Height - 2'6"
 Floor height - 10'0" (FFL)
 NUMBER OF STAIRS - 19
 Thread - 11"
 Riser - 6"
 Sump Quantity - 6000 ltrs
 OHT Quantity - 1500 ltrs

ARCHITECT

AR.P.Ganesh

Brick & Bolt

Clayworks, 16/2 ,m 2nd Floor,
 Sobha Alexander Plaza,
 Commissariat Rd, Ashok Nagar,
 Bengaluru, Karnataka 560025

Project

**MR.Prakash
 Veer**

CRN
 269577

Drawing Title
 THIRD FLOOR PLAN


Drg. No.
 A104

Date
 01/02/2024

Scale
 1 : 70

NORTH





Area Schedule (Gross Building)

Name	Area
ROAD LEVEL	
SITE	2242 SF
GROUND FLOOR LEVEL	
BUILTUP AREA	310 SF
PARKING	1361 SF
FIRST FLOOR LEVEL	
BUILTUP AREA	1461 SF
UTILITY	57 SF
BALCONY	218 SF
SECOND FLOOR LEVEL	
BUILTUP AREA	1475 SF
BALCONY	219 SF
UTILITY	42 SF
THIRD FLOOR LEVEL	
UTILITY	57 SF
BUILTUP AREA	1461 SF
BALCONY	218 SF
FOURTH FLOOR LEVEL	
BUILTUP AREA	204 SF
TERRACE	1531 SF

NOTES:

- Opening schedule may change according to the structural design.
 - The layout of columns and beams may change according to the structural design.
 - Number of steps may change according to the plinth and parking height desired.
 - Thickness of walls is only proposed. It may have to change based on the structural design to avoid column/beam projections.
- The Contractor and the Consultant shall bear no responsibility whatsoever where any drawings provided by them in relation to the project / Said Works, does not comply with any applicable laws including the bye-laws of the building/society where such project is situated. Further, it is clarified that it shall be the responsibility of the Owner to ensure any and all compliance of the drawings provided by the Contractor/Consultant.

REV.

CONCEPT - R3

AREA STATEMENT

LEGENDS

Plinth Height - 2'6"
 Floor height - 10'0" (FLL)
 NUMBER OF STAIRS - 19
 Thread - 11"
 Riser - 6"
 Sump Quantity - 6000 ltrs
 OHT Quantity - 1500 ltrs

ARCHITECT

AR.P.Ganesh

Brick & Bolt

Clayworks, 16/2 ,m 2nd Floor,
 Sobha Alexander Plaza,
 Commissariat Rd, Ashok Nagar,
 Bengaluru, Karnataka 560025

Project

**MR.Prakash
 Veer**

CRN
 269577

Drawing Title
 TERRACE FLOOR PLAN

Drg. No.
 A105

Date
 01/02/2024

Scale
 1 : 70

NORTH





① 3D View 1

Area Schedule (Gross Building)

Name	Area
ROAD LEVEL	
SITE	2242 SF
GROUND FLOOR LEVEL	
BUILTUP AREA	310 SF
PARKING	1361 SF
FIRST FLOOR LEVEL	
BUILTUP AREA	1461 SF
UTILITY	57 SF
BALCONY	218 SF
SECOND FLOOR LEVEL	
BUILTUP AREA	1475 SF
BALCONY	219 SF
UTILITY	42 SF
THIRD FLOOR LEVEL	
UTILITY	57 SF
BUILTUP AREA	1461 SF
BALCONY	218 SF
FOURTH FLOOR LEVEL	
BUILTUP AREA	204 SF
TERRACE	1531 SF

NOTES:

- Opening schedule may change according to the structural design.
- The layout of columns and beams may change according to the structural design.
- Number of steps may change according to the plinth and parking height desired.
- Thickness of walls is only proposed. It may have to change based on the structural design to avoid column/beam projections.
- The Contractor and the Consultant shall bear no responsibility whatsoever where any drawings provided by them in relation to the project / Said Works, does not comply with any applicable laws including the bye-laws of the building/society where such project is situated. Further, it is clarified that it shall be the responsibility of the Owner to ensure any and all compliance of the drawings provided by the Contractor/Consultant.

REV.

CONCEPT - R3

AREA STATEMENT

LEGENDS

Plinth Height - 2'6"
Floor height - 10'0" (FFL)

NUMBER OF STAIRS - 19
Thread -11"
Riser - 6"

Sump Quantity - 6000 ltrs
OHT Quantity - 1500 ltrs

ARCHITECT

AR.P.Ganesh

Brick & Bolt

Clayworks, 16/2 ,m 2nd Floor,
Sobha Alexander Plaza,
Commissariat Rd, Ashok Nagar,
Bengaluru, Karnataka 560025

Project

**MR.Prakash
Veer**

CRN
269577

Drawing Title
VIEW

Drg. No.
A106

Date
01/02/2024

Scale

NORTH

